



PHBSON (Shang Hai) Co., LTD.

Add.: Min Hang District, Shanghai, China. 201102
E-mail: info@phbson.com

PHBSON (Jin Hua) Co., LTD.

Add.: Jinhua, Zhejiang Province, China. 321000
E-mail: info@phbson.com

PHBSON (Hai Nan) Co., LTD.

Add.: Haikou, Hai Nan Province, China. 570100
E-mail: info@phbson.com

PHBSON (Hu Zhou) Co., LTD.

Add.: HuZhou, Zhejiang Province, China. 313200
E-mail: info@phbson.com

PHBSON (USA) LLC


Add.: 8 The Green, Suite A, Dover, USA. 19901
E-mail: info@phbson.com

PHBSON (Qing Dao) Co., LTD.

Add.: Qing Dao, Shan Dong Province, China, 266228
E-mail: info@phbson.com



EVERYTHING TO OUTFIT YOUR PASSION



**PHBSON GROUP
CATALOGUE**

CATALOGUE



Company Introduction :

PHBSON GROUP. Our company has more than 15 years of OEM production and export experience. We have excellent staff, advanced technical support, well equipment and the managerial staff with rich management experience also has the spirit of craftsman. Strict management of enterprises is the rationale for company continues to grow, products to win user dependence. "Safety, reliable, professional" are our spirit and aim of production and service. For more than 15 years, the factory do the OEM production for North America and Europe famous brands customers. Our products and services by the vast number of customer recognition and praise. We have our own factory and also we have strong purchasing capability. Our company has the ability for customers from all over the world, We also Set production, sales, research and development, trade, quality control services. As a small company, we do a good job of the Secretary for products. Corporate culture: Innovation, Creativity, Responsibility, Altruism.

01. Water Pump	01-03	23. Meat Lug	49-49
02. Solar Fountain Pump	04-05	24. Salt/Pepper Mills	50-50
03. Fuel Pump	06-13	25. Jerky Gun Kit	51-52
04. Battery	14-15	26. Cooler/Cooler Box	53-53
05. Transfer Pump	16-18	27. Caulking Gun	54-65
06. Fuel Nozzles	19-20	28. Electric Caulking Gun	66-66
07. Gas Cans	21-24	29. Paint Mixer	67-70
08. Fuel Hose	25-25	30. Hose Reel	71-73
09. Portable Fule Tank	26-26	31. Code Reel	74-74
10. Grease Guns	27-30	32. Electic Mixer Machine	75-75
11. Gallon Oil Drain	31-33	33. Laser Level	76-77
12. Oil Drain Pan	34-34	34. Safety Glasses	78-78
13. Profile Oil Drain	35-36	35. Dust Mask	78-78
14. OilDrip Tray	37-37	36. Earmuff	78-78
15. Manual Fluid Extractor	38-38	37. Bump Cap	79-79
16. Fitting Grease	39-39	38. Work Light	80-80
17. Coupler Grease	40-40	39. Wall Chaser Machine	81-81
18. Moter Stand/Cart	41-42	40. Air Tools	82-82
19. Aluminum Cam Tool Box	43-43	41. Safety Gate For Pet	83-87
20. Cargo Carriers	44-45	42. Metal Dust Pan	88-89
21. Cargo Net	46-46	43. Yacht Accessories	90-90
22. Trailer Led Light Kit	47-48		

WATER PUMP

WATER PUMP

Aquarium



Garden



Car Wash



Swimming pool



12V Mini Utility Transfer Pump with Switch

Item #:20114

APPLICATIONS:
Ideal for draining hot water tanks, appliances, boat bilges and aquariums as well as water transfer applications where easy portability is required.

Specifications:
Volts:12V DC
Max Flow: 330GPH
Max.Head : 30feet
Suction Port (in.) 3/4 GHT
Discharge Port (in.) 3/4 GHT

Features:
Convenient carrying handle
Lifts water over 30 ft.;
Removes water down to 1/8 in.of surface
Easy-to-operate and easy-to-service design
With 3/4" garden hose connections at inlet and discharge
Alligator clamps for connecting power wires to battery

115V 330GPH Mini Utility Transfer Pump

Item #:20115

APPLICATIONS:
Ideal for draining hot water tanks, appliances, and aquariums as well as water transfer applications where easy portability is required

Specifications:
Volts:115V
Max Flow: 330GPH
Max.Head : 44feet
Suction Port (in.) 3/4 GHT
Discharge Port (in.) 3/4 GHT

Features:
Convenient carrying handle
Lifts water over 44 feet
Removes water down to 1/8 in.of surface
Easy-to-operate and easy-to-service design
With 3/4" garden hose connections at inlet and discharge



High Power Impeller For Maximum Efficiency

Sturdy Base & Rubber Legs Prevent Skidding

Constructed With Premium Hardware

Made From Durable Metal Materials

WATER PUMP

1/4 2000GPH Thermoplastic Submersible Utility Pump

Item #:20116

SPEC:

Volts/Frequency:115V/60HZ
Power: 1/4HP
Max.Flow: 2000GPH
Max.Head : 25Feet
Solids Handling: 1/8Inch
Outlet size:1 -1/4"NPT&3/4"GHT

Features:

- *Ideal for Household water removal in places like basements, crawl spaces, rooftops, and window wells.
- *Continuous duty, thermally protected split capacitor motor
- *Large 1-1/4inch discharge for high capacity pumping
- *Can be used as a sump pump by adding an optional float switch
- *Built-in thermal overload protection for safety
- *Includes garden hose adapter
- *Bottom suction design filters and removes water down to 1/8 inch of surface



Safety Protection



1/2 HP 1560 GPH Cast Iron Utility Transfer Pump With Switch

Item #:20128

Applications:

Deal for boosting household water pressure to wash vehicles and driveways and for use in other water transfer and removal applications

Specifications:


Power:1/2HP
Volts/Frequency:115V/60HZ
Max Flow: 1560GPH
Max.Head : 140feet

Features:

- *Easy-access handle to take the pump anywhere
- *Includes 3/4in.GHT hose adapters for connecting to garden hose
- *Pump will supply one to two sprinkler heads and up to 100 feet of garden hose for intermittent sprinkling application
- *heavy-duty cast iron construction
- *with switch
- *Multi-function Prime plug
- *with 1/4 Hex key use for prime plug

Accessories Included:

3/4 in.GHT brass garden hose thread adapters 2 pcs
Spare brushes 1 Set
3/4 Inch Filter 1pcs



SOLAR FOUNTAIN PUMP

SOLAR FOUNTAIN PUMP



Quality pump with **CE, RoHS** and **REACH** certification, environmental friendly and safe.
Brushless DC motor, durable and efficient.

- ★ Locked rotor protected, robust and user friendly.
- ★ Dry-run protected.
- ★ Ceramic shaft, quiet and abrasion resistant.
- ★ Flow adjustable.
- ★ Foam filter equipped.
- ★ Typical applications include pumping spray fountains, garden fountains and water features as well as aerating small ponds.

Technical parameters

Item#	20239	Pump size	107*76*60MM
Solar power	12WATT	Pump outlet	Φ13MM
Working voltage	12/24V	Pump cable length	5M
Solar panel size	400*255*23MM	Max. pump flow rate	680LPH
Type of solar cell	Polycrystalline silicon	Max. pump water head	1.5M

Packing information

Individual box N.W	1.8KGS	Master carton N.W	7.2KGS
Individual box G.W	2.6KGS	Master carton G.W	11.0KGS
Individual box size	2.6KGS	Master carton QTY	4PCS
Individual box type	brown mail box	Master carton size	52*44*30CM





Battery Powered Fuel Transfer Pump

Item #:20118

- with 3 Adapters Screws Directly Onto Any Standard Gas Can For No-spill Siphoning
- Wide Pump Compatibility
- Simple On/off Operation
- Flexible No-kink Construction
- Auto-Stop Mechanism & Leak Protection
- With Emc& Csa Certification

Patent Pending



Specifications:


Power Supply: Battery : AAx2 or 4 (Not Included)




Delivery Volume : 2.4 Gallons Per Minute (9.2 LPM)



Intake Hose: 19 Inch
Discharge Hose: 35Inch



Intake Hose: 19 Inch
Discharge Hose: 51Inch




Applications:

- Gasoline
- Diesel
- Kerosene
- Light oils
- Non-potable water
- Urea and more



Waterproof Battery cover, Moisture-Resistant, Better Protection of internal devices. (Battery not included)


Operating Temperature:41F–113F (5°C–45 c)



Long-Lasting Power



Fast 2.4 Gal/Min Flow



Automatic Shut-off



Built-In Can Adapter



Easy 1-Touch Operation

FUEL PUMP

Cordless, portable, light and useful in the Garage, Basement, Bathroom, Shop or Yard - Transfer fuel from gas can to Cars, Tractors, Lawnmowers, Boats, Snowblower, Etc.



Packing Information:

Inner Packing Size: 11.8x6.0x3.35 Inch (30x15x8.5cm)
 G.W/: 1.54Lbs(0.7kg)
 Outer Packing Size: 24.2x13x11.2
 Inch (61.5x33x28.5cm) 12 PCS/Carton
 G.W/: 19.0Lbs(8.6kg)

Container Loading Quantity:

1x20GP: 6384 PCS
 1x40 GP: 13104 PCS
 1x40 HQ: 14736 PCS



1/4 HP 15GPM FUEL TRANSFER PUMP KIT



Item #: 20119

Voltage: DC12 or 24V
 Rated Input Power: 1/4HP
 No-Load Speed: 2200RPM
 Max Pump Rate: 57L/min(15GPM)
 Max.Height: 12m
 Max.Depth: 2m
 Fitting: BSPF/NPT1"
 Power Cable:
 With 3M of Battery cable clamp
 Use for Gasoline Diesel, Self-Priming
 2m Length of 1" Suction Hose
 4m Length of 3/4" Delivery Hose
 1" Manual Nozzle

1/4 HP 15GPM FUEL TRANSFER PUMP

Voltage: DC12 or 24V
 Rated Input Power: 1/4HP
 No-Load Speed: 2200RPM
 Max Pump Rate: 57L/min(15GPM)
 Max.Height: 12m
 Max.Depth: 2m
 Fitting: BSPF/NPT1"
 Power Cable:
 With 1.5M of Battery Cable Clamp
 Use for Gasoline, Diesel, Self-Priming

Item #: 20120





FUEL TRANSFER PUMPS

Item #:20121

12/24V/DC 15GPM DIESEL TRANSFER PUMP

Voltage: DC12 or 24V
 Rated Input Power:375w
 No-Load Speed:3200RPM
 Max Pump Rate:57L/min(15GPM)
 Max.Height:15m
 Max.Depth:2m
 Fitting:BSPF/NPT1"
 Power Cable:
 With 1.5M of Battery Cable Clamp
 Only for Diesel,Self-Priming

Item #:20122

12/24V/DC 20GPM DIESEL TRANSFER PUMP

Voltage: DC12 or 24V
 Rated Input Power:550w
 No-Load speed:2500RPM
 Max Pump Rate:75L/min(20GPM)
 Max.Height:15m
 Max.Depth:2m
 Fitting:BSPF/NPT1"
 Power Cable:
 With 1.5M of Battery Cable Clamp
 Only for Diesel,Self-Priming



12/24V/DC 10GPM DIESEL TRANSFER PUMP KIT

Item #:20123

Voltage: DC12 or 24V
 Rated Input Power:155w
 No-Load Speed:3300RPM
 Max Pump Rate:40L/min(10GPM)
 Max.Height:10m
 Max.Depth:2m
 Fitting:BSPF/NPT3/4"
 Power Cable:
 With 1.5M of Battery Cable Clamp
 Only for Diesel,Self-Priming



Voits:12V/DC
 Max.Flow:12GP
 Max.Head:20Feet

12/24V/DC 10GPM DIESEL TRANSFER PUMP

Item #:20124

Voltage: DC12 or 24V
 Rated Input Power:155w
 No-Load speed:3300RPM
 Max Pump Rate:40L/min(10GPM)
 Max.Height:10m
 Max.Depth:2m
 Fitting:BSPF/NPT3/4"
 Power Cable:
 With 1.5M of Battery Cable Clamp
 Only for Diesel,Self-Priming




12/24V/DC 20GPM FUEL TRANSFER PUMP KIT

Item #:20125

Voltage: DC12 or 24V
 Rated Input Power:1/3HP
 No-Load speed:2200RPM
 Max Pump Rate:76L/min(20GPM)
 Max.Height:12m
 Max.Depth:2m
 Fitting:BSPF/NPT1"
 Power Cable:
 With 3M of Battery Cable Clamp
 Use for Gasoline Diesel,Self-Priming
 2m Length of 1"Suction Hose
 4m Length of 1"Delivery Hose
 1"Manual Nozzle





10 GPM PORTABLE FUEL TRANSFER BOX KIT

Item #:20126

12V/DC, 15GPM Fuel Transfer Pump

Voits:12V/DC
Max.Flow: 15GPM
Max.Head:20 Feet

- The explosion proof fuel transfer pump is designed for tank or barrel mounting to dispense flammable liquids like diesel, and kerosene
- Thermal protection, bypass Valve built, filter screen at inlet, duty cycle: 30min
- Comes with lockable nozzle holder, extensible suction tube, manual nozzle, 14 ft. Discharge Hose and 2 inch bung adapter
- Inlet/Outlet Connection Size: 1" NPT

1/4 HP 15GPM FUEL TRANSFER PUMP

Item #:20128

Voltage: 110V/60HZ
Rated Input Power:1/4HP
No-Load Speed:3600RPM
Max Pump Rate:57L/min(15GPM)
Max.Height:12m
Max.Depth:2m
Fitting:BSPF/NPT1"
Power Cable:
With 1.5M of Battery Cable Clamp
Use for Gasoline Diesel,Self-Priming
2m Length of 1"Suction Hose
4m Length of 3/4"Delivery Hose
1"Manual Nozzle



12 VOLT OIL EXTRACTOR PUMP

Item #:20132

Oil Extractor Pump is a 60 Watt high efficiency, self-priming pump with 12V DC motor. Compact and lightweight for exceptional portability. Also works with machine oil.

Big flow, high delivery head features a 3L/min. flow rate
Maximum suction lift of 1.66ft.
Includes a 0.47in. dia. x 4.92ft.Loutlet hose, 0.16in. dia. x 3.94ft. Linlet hose, 1.5m wire and 2-pc. clamp

9ft.L power cord provides extended reach



Super Strong Alkaline Battery Series Battery Packing Specifications

Product Name	Super strong alkaline LR6(20262)		Super strong alkaline LR03(20263)	
	Shrink pack	In bulk	Shrink pack	In bulk
Inner Package	120Grain/Box	40Grain/Box	120Grain/Box	40Grain/Box
Outter Package	720Grain/Box	800Grain/Box	720Grain/Box	800Grain/Box
Carton Diameter	318x195x196mm	318x311x128mm	242x151x178mm	240x230x115mm
G. W.	18.1kgs	19.7kgs	8.4kgs	9.3kgs
Battery Capacity	2900mAh	2900mAh	1300mAh	1300mAh

Product Name	Super strong alkaline LR14(20264)		Super strong alkaline LR20(20265)		Super strong alkaline 6LR61(20266)
	Shrink pack	In bulk	Shrink pack	In bulk	Shrink pack
Inner Package	12Grain/Box	12Grain/Box	12Grain/Box	12Grain/Box	156Grain/Box
Outter Package	144Grain/Box	144Grain/Box	144Grain/Box	144Grain/Box	312Grain/Box
Carton Diameter	267x239x140mm	267x239x140mm	267x239x140mm	267x239x140mm	387x252x140mm
G. W.	10.1kgs	10.1kgs	14.2kgs	14.2kgs	14kgs
Battery Capacity	7500mAh	7500mAh	18000mAh	18000mAh	500mAh



The Battery System	Battery Item#					Nominal Voltage (V)	Size (MM)	Capacity (mAh)
	IEC	Common	ANSI	JIS	PHBSON			
Buckle type lithium battery	Cr2032	2032	/	Cr2032	20267	3	Φ20.00/H3.60	220



Standard Battery

Item #:20361

Cells per Unit:3
 Normal Voltage: 6v
 Capacity:4Ah@20hr-rate to 1.75Vper cell@25°C
 Weight:Approx(0.63+3%)kg(1.39lbs)
 Maximum Discharge Current:40A(5sec)
 Internal Resistance:Approx.28mQ full charged @25°C
 Operating Temperature Range:
 Discharge:-15°C~50°C
 Charge:-15°C~40°C
 Storage:-15°C~40°C

Nominal Operating Temperature Range:25°C+3°C
 Float Charging Voltage:6.75~6.90VDC/unit Average @25°C
 Maximum Charging Current:1.2A
 Equalization and Cycle Service 7.20V~7.50VDC/unit Average @25°C

Self Discharge:
 PHBSON Valve Regulated Lead Acid (VRLA)batteries can be stored for more than 6 months at 25°C .Self-discharge ratio less than 3% per month at 25°C .Please charge batteries before using.

Terminal:F1

Container Material:
 ABS(UL94-HB)
 *Flammability resistance of(UL94-V0)can be available upon request



Standard Battery

Item #:20362

Cells per Unit:3Normal Voltage: 6V
 Capacity:4Ah@20hr-rate to 1.75Vper cell@25°C
 Weight:Approx(0.63+3%)kg(1.39lbs)
 Maximum Discharge Current:40A(5sec)
 Internal Resistance:Approx. 28mQ full charged @25°C
 Operating Temperature Range:
 Discharge:-15°C~50°C
 Charge:-15°C~40°C
 Storage:-15 ~40°C

Nominal Operating Temperature Range:25°C+3°C
 Float Charging Voltage:6.75~6.90VDC/unit Average @25°C
 Maximum Charging Current:1.2A
 Equalization and Cycle Service 7.20V~7.50VDC/unit Average @25°C

Self Discharge:
 PHBSON Valve Regulated Lead Acid (VRLA)batteries can be stored for more than 6 months at 25°C .Self-discharge ratio less than 3% per month at 25°C . Please charge batteries before using.

Terminal:F1(0.187)/F2(0.250)

Container Material:
 ABS(UL94-HB)
 *Flammability resistance of(UL94-V0)can be available upon request



MANUAL TRANSFER PUMP

Item #:20158

use to siphon fluids including diesel, oil and pesticides
 Material:Plastic
 Contents:
 1-pc multi-fuction siphon pump
 2-pc 4 ft. transfer hoses
 1-pc 4 ft. narrow bore hose
 1-pc 16 in. hose with clip-on connector (for tire inflation)
 1-pc inlet nozzle
 1-pc outlet nozzle
 Flow Rating 2.64 GPM
 Hose Size: Narrow bore (1/4in od, 1/8in id),
 Clip-on (1/2in od, 3/16in id)



BATTERY OPERATED FUEL TRANSFER PUMP

Item #:20159

FLOW RATE : 2.4 Gal. /Min
 DURACELL LIFE : 1.5 H continous
 Gauges are made with corrosion resistant plastic housing.
 250" Spade connectors
 Utilizes a Flange mounting system.
 For 12-60 Volt DC systems
 Requires two "D" size batteries



MULTIFUNCTION FUEL TRANSFER PUMP

Item #:20160

With 3 adapters screws directly onto any standard gas can for no-spill siphoning
 Wide pump compatibility
 Simple On/off operation
 Flexible No-Kink Construction
 Convenient Portable Design
 Auto-stop Sensor & Leak Protection
 Delivery Volume: 3.2Gallons Per Minute (12 LPM)
 Intake Hose:19 inch
 Discharge Hose: 51 inch
 With EMC& CSA Certification



Accessories Included:

- A: DCCable With Battery Clips (The Optional)
- B: AC/DC Adapter (The Optional)
- C: Can Adapter 3pcs

Power Supply:



- *Simple On/Off Operation
- *With LED Light Display
- *Portable nozzle fixing bracket for easy fixing and storage
- *High speed & Low noise & High energy efficiency motor
- *Auto-Stop Sensor & Leak Protection



LEVER ACTION DRUM HAND PUMP

Item #:20161

Fits 15- to 55-Gallon Drums
Lever Action Drum Hand Pump is designed to dispense strong acids, alkali solutions and nitric acid from drums. Also suitable for use with water, diesel, kerosene, machine oil, lubricant, gasoline, Adblue, solvents, detergents, chemicals, thinners and more. Delivers up to 31/2 GPM. Use with 15- to 55-gal. drums.

38in., 3-pc. suction pipe provides versatility for added reach into deeper drums
Includes 1 1/2in. and 2in. bung adapters

CHEMICAL RESISTANT PLASTIC ROTARY PUMP

Item #:20162

For diesel fuel, kerosene, water based solutions, antifreeze, acids and chemicals
Flow Rate: 250 ml/stroke
Bung Nut Size :2 in. NPT
Pipe Length 45 in.
Contents Includes 1 in. discharge spout and 2 in. plastic adapter



Item #:20162

ROTARY BARREL PUMP

Item #:20163

For kerosene and petroleum
Flow Rate 250 ml/stroke
Housing Construction Cast Iron
Spout Construction Steel
Handle Construction Cast Iron
Impeller Construction Cast Iron
Bung Nut Construction Cast Iron
Bung Nut Size 2 in. NPT
Pipe Style 2 Pcs telescopic
Pipe Construction Steel
Pipe Length 40-3/4 in.
Not for use with water, water based solutions, corrosive solutions



Item #:20163

ROTARY BARREL PUMP

Item #:20164

Flow Rate 300 ml/stroke
Housing Construction Cast Iron
Spout Construction Steel
Handle Construction Steel
Bung Nut Size 2 in. NPT
Pipe Style 3 pcs
Pipe Construction Steel
Pipe Length 39 in.
Additional Info 8 gallons (30 litres) per 100 revolutions

Premium Quality Components
-Ryton Polyphenylene Sulfide
-Viton
-Teflon

Smooth Operation With High Flow Rate: 5.5 Gallon/Min

Includes A Non-Drip Valve- Ensures No Spillage & No Air Exposure

All High-Garde Stainless Stell Internal Meter Components

40" Suction Tube

Adjustable 2" Bung Opening

Item #:20164



DIESEL TRANSFER PUMP

Item #:20353

Voltage: DC12 or 24V
Rated Input Power:375w
No-load speed:3200RPM
Max pump rate:60L/min
Max.Height:15m
Max.Depth:2m
Fitting:BSPF/NPT1"
Power cable:
With 1.5M of Battery cable clamp
Only for diesel,Self-priming



DIESEL TRANSFER PUMP

Item #:20356

Voltage: 220V/50HZ
Rated Input Power:750w
No-load speed:2850RPM
Max pump rate:100L/min
Max.Height:25m
Max.Depth:3m
Fitting:BSPF/NPT1"
Power cable:
With 1.2M of Battery cable clamp
Only for diesel,Self-priming

DIESEL TRANSFER PUMP KIT

Item #:20359

Voltage: DC12 or 24V
Rated Input Power:180W
No-load speed:3000RPM
Max pump rate:20L-40L/min
Max.Height:12m
Max.Depth:2m
Fitting:BSPF/NPT1"
Power cable:
With 1.5M of Battery cable clamp
Use for diesel,Self-priming
2m Length of 1" suction hose
4m length of 3/4" delivery hose
3/4" Automatic nozzle




1IN. MECHANICAL FUEL METER with 3/4in. Adapters

Item #:20133
 Flow:5-32 GPM
 Max. Operating Pressure: 50 PSI
 Inlet Port : 1 in.
 Outlet Port: 1 in.
 Temperature Capacity: 140 °F



1IN. TURBINE DIGITAL METER with 3/4in. Adapters

Item #:20134
 Flow:3-26 GPM
 Max. Operating Pressure: 145 PSI
 Inlet Port : 1 in.
 Outlet Port: 1 in.
 Temperature Capacity: 140 °F



3/4 IN.FUEL NOZZLE

Item #:20135
 Feature:
 Adapatable to both electric and gravity flow fuel tanks
 Application(s)
 Diesel and kerosene
 Attributes & Specifications
 Construction Aluminum
 Nozzle Type Manual
 Nozzle Size 3/4 in.
 Flow Rate 0 to 18.5 GPM
 Operating Temperature -20 to 55 °C

1 IN.FUEL NOZZLE

Item #:20136
 Feature:
 Adapatable to both electric and gravity flow fuel tanks
 Application(s)
 Diesel and kerosene
 Attributes & Specifications
 Construction Aluminum
 Nozzle Type Manual
 Nozzle Size 1 in.
 Flow Rate 0 to 18.5 GPM
 Operating Temperature -20 to 55 °C

FEATURES

FLOW RATE	MAX. WORKING PRESSURE
UPTO 75 LPM (20 GPM)	UPTO 50 PSI (3.45 BAR)

FLUIDS

DIESEL	KEROSENE	GASOLINE




3/4 IN. AUTOMATIC SHUTOFF FUEL NOZZLE

Item #:20137
 Flow: 7-12 GPM
 Compatible With: Gasoline, Diesel, Kerosene
 Inlet Port: 3/4 in.
 Outlet Port: 13/16 in. spout O.D.
 Latch Type: 2 speed w/handle latch
 Material: Cast Aluminum

1 IN. AUTOMATIC SHUTOFF FUEL NOZZLE

Item #:20138
 Flow: 12-16 GPM
 Compatible With: Gasoline, Diesel, Kerosene
 Inlet Port: 1 in.
 Outlet Port: 15/16 in. spout O.D.
 Latch Type: 2 speed rear lock
 Material: Cast Aluminum



**LEAKPROOF STEEL GAS CAN
— 5-LITER**

Item #:20140

Application: Gas storage/portability

- Features + Benefits**
 0.6mm steel walls for strength and durability
 Rustproof Rezol lining
 Internal breather pipe for splashproof pouring
 Leakproof bayonet closure
 Locking pin to keep cap secure
 EPA and CARB certified
 Built to ASMT, NFPA and DOT standards
 OSHA compliant



**LEAKPROOF STEEL GAS CAN
— 10-LITER**

Item #:20141

Application: Gas storage/portability

- Features + Benefits**
 0.8mm steel walls for strength and durability
 Rustproof Rezol lining
 Internal breather pipe for splashproof pouring
 Leakproof bayonet closure
 Locking pin to keep cap secure
 EPA and CARB certified
 Built to ASMT, NFPA and DOT standards
 OSHA compliant



**LEAKPROOF STEEL
GAS CAN — 20-LITER**

Item #:20142

Application: Gas storage/portability

- Features + Benefits**
 0.8mm steel walls for strength and durability
 Rustproof Rezol lining
 Internal breather pipe for splashproof pouring
 Leakproof bayonet closure
 Locking pin to keep cap secure
 EPA and CARB certified
 Built to ASMT, NFPA and DOT standards
 OSHA compliant



**LEAKPROOF STEEL
GAS CAN — 10-LITER**

Item #:20143

Application: Gas storage/portability



- Features + Benefits**
 0.8mm steel walls for strength and durability
 Rustproof Rezol lining
 Internal breather pipe for splashproof pouring
 Leakproof bayonet closure
 Locking pin to keep cap secure
 EPA and CARB certified
 Built to ASMT, NFPA and DOT standards
 OSHA compliant

20 LITRE GREEN MILITARY-STYLE FUEL CAN

Item #:20144

Application: Can be used with blended fuels
 Jeep style

Extremely rugged, military-style floating fuel can with integrated air vent for smooth pouring. Inside threads fits most stove and heater adapters. Triple handle design allows you to carry 2 cans per hand.



Item #:20144

GAS CANS

LEAKPROOF STEEL GAS CAN — 10-LITER

Item #:20145

This Leakproof Steel Gas Can features 0.9mm steel walls for strength and durability. This unit also includes a rustproof Rezol lining, an internal breather pipe for splashproof pouring, and a leakproof bayonet closure. The 3-handle configuration allows for easy grabbing and carrying of multiple cans. The cap includes a locking pin for security. EPA and CARB certified; built to ASMT, NFPA and DOT standards. OSHA compliant.



Item #:20145

LEAKPROOF STEEL GAS CAN — 5-LITER

Item #:20146

Features + Benefits
 0.9mm steel walls for strength and durability
 Rustproof Rezol lining
 Internal breather pipe for splashproof pouring
 Leakproof bayonet closure
 Locking pin to keep cap secure
 EPA and CARB certified
 Built to ASMT, NFPA and DOT standards
 OSHA compliant



Item #:20146

PORTABLE FUEL TANK — 3.2-GALLON, EPA-COMPLIANT

Item #:20147

Features + Benefits
 3.2-gallon marine OEM Choice portable fuel tank measures 14.3in.L x 10.4in.W x 9.2in.H

Cap with mechanical sight gauge for easy fuel level detection
 Sturdy seamless one-piece polyethylene tank shell construction
 Molded-in feet keep tank off floor for increased ventilation and stability
 Low permeation tank eliminates fuel evaporation and retains octane value longer
 Ethanol and alcohol compliant



Item #:20147

PORTABLE FUEL TANK — 6.6-GALLON, EPA-COMPLIANT

Item #:20148

Features + Benefits
 6.6-gallon marine OEM Choice portable fuel tank measures 21.5in.L x 14.3in.W x 9.3in.H
 Cap with mechanical sight gauge for easy fuel level detection
 Sturdy seamless one-piece polyethylene tank shell construction
 Molded-in feet keep tank off floor for increased ventilation and stability
 Low permeation tank eliminates fuel evaporation and retains octane value longer
 Ethanol and alcohol compliant
 Meets ABYC/EPA/CARB standards
 Automatic air inflow valve system allows air to enter tank during operation and pressure to be released above 5 PSI

Convenient combination fuel pickup/sight gauge
 Accepts 1/4in. NPT marine tank fittings



Item #:20148

GAS CANS

10 LITRE SELF-VENTING GAS CAN

Item #:20150

Feature:
 Self-venting cap for easier pouring.

Application:
 Use to transport and store gasoline.



Item #:20149

5 LITRE SELF-VENTING GAS CAN

Item #:20149

Feature:
 Self-venting cap for easier pouring.

Application:
 Use to transport and store gasoline.



Item #:20150

20 LITRE SELF-VENTING GAS CAN

Item #:20151

Feature:
 Self-venting cap for easier pouring.

Application:
 Use to transport and store gasoline.



Item #:20151



AGRICULTURE TYPE HOSE USED FOR DISPENSING GASOLINE, GREASE, KEROSENE, AND PETROLEUM

1 IN.14 FT FUEL HOSE

Item #:20155

Feature(s)
Reinforced with static wire
Application(s)
Ideal for use with electric pumps

Attributes & Specifications
Length 20 ft
Inner Diameter 1 in.



3/4 IN. 15 FT FUEL HOSE

Item #:20156

Feature(s)
Braided stainless steel static ground wire prevents static discharge and ensures safe fueling. Internal spring guard protects the hose from exceeding its bend radius, extending the life of the hose
Application(s)
Diesel fuel, gasoline, grease, kerosene, and petroleum oils

Attributes & Specifications
Length 15 ft
Inner Diameter 3/4 in.
Temperature Rating -40°C (-40°F)
Construction High quality nitrile butadiene rubber

1 IN. 20 FT FUEL HOSE

Item #:20157

Feature(s)
Braided stainless steel static ground wire prevents static discharge and ensures safe fueling. Internal spring guard protects the hose from exceeding its bend radius, extending the life of the hose
Application(s)
Diesel fuel, gasoline, grease, kerosene, and petroleum oils

Attributes & Specifications
Length 20 ft
Inner Diameter 1 in.
Temperature Rating -40°C (-40°F)
Construction High quality nitrile butadiene rubber

3/4 IN.12 FT FUEL HOSE

Item #:20152

Feature(s)
Reinforced with static wire
Application(s)
Ideal for use with electric pumps

Attributes & Specifications
Length 12 ft
Inner Diameter 3/4 in.

3/4 IN.14 FT FUEL HOSE

Item #:20153

Feature(s)
Reinforced with static wire
Application(s)
Ideal for use with electric pumps

Attributes & Specifications
Length 14 ft
Inner Diameter 3/4 in.
Package Dimensions (L x W x H)
13.0 x 13.0 x 2.7 in.
Weight (lbs): 5.04

3/4 IN.20 FT FUEL HOSE

Item #:20154

Feature(s)
Reinforced with static wire
Application(s)
Ideal for use with electric pumps

Attributes & Specifications
Length 20 ft
Inner Diameter 3/4 in.
Package Dimensions (L x W x H)
13.0 x 13.0 x 4.0 in.
Weight (lbs): 6.42



PORTABLE FUEL TANK WITH ROTARY PUMP 120 LITRE

Item #:20348

1pc Plastic nozzle



Specification		Packing info.	
Tank Capacity	32 gallon (120Liter)	G.W./N.W	25kg/22kg
Length	55cm	Qty	1pc/carton
Width	45cm	Carton for tank	57x47x108cm
Height	105cm	20GP	77pcs
pump	Rotary Pump	40'GP	166pcs
delivery hose	2m	40'HQ	210pcs
Suction hose		MOQ	20pcs
Tank Material	UV Stabilised Petrol Grade Polyethylene Tuff Tank	DELIVERY TIME	40days
Rate of Flow	20L/min		
Use for	Diesel \ Gasoline\Oil		

PORTABLE FUEL TANK WITH 12V DIESEL TRANSFER PUMP 120 LITRE

Item #:20349

1pc Manual nozzle



Specification		Packing info.	
Tank Capacity	32 gallon (120Liter)	G.W./N.W	30kg/27kg
Length	55cm	Qty	1pc/carton
Width	45cm	Carton for tank	57x47x108cm
Height	105cm	20GP	77pcs
pump	12V diesel transfer pump	40'GP	166pcs
delivery hose	4m	40'HQ	210pcs
Suction hose	2m	MOQ	20pcs
Tank Material	UV Stabilised Petrol Grade Polyethylene Tuff Tank	DELIVERY TIME	40days
Rate of Flow	40L/min(10GPM)		
Use for	Diesel		

PORTABLE FUEL TANK WITH 12V FUEL TRANSFER PUMP 120 LITRE

Item #:20350

1pc Manual nozzle



Specification		Packing info.	
Tank Capacity	32 gallon (120Liter)	Voltage	12V(DC)
Length	55cm	G.W./N.W	34kg/31kg
Width	45cm	Qty	1pc/carton
Height	105cm	Carton for tank	57x47x108cm
pump	12V diesel transfer pump	20GP	77pcs
delivery hose	4m	40'GP	166pcs
Suction hose	2m	40'HQ	210pcs
Tank Material	UV Stabilised Petrol Grade Polyethylene Tuff Tank	DELIVERY TIME	40days
Rate of Flow	57L/min(15GPM)	DELIVERY TIME	40days
Use for	Gasoline\Diesel		

12V CORDLESS LI-ION GREASE GUN

Item #:20165

1 Battery 7000 PSI grease gun

Battery capacity :12V LI-ION battery 1500mAh
 High-Pressure delivery: 7000±1000psi
 High-flow rate:2.5 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL/SAA/GS/BS)
 1500mAh battery pack
 With 30" flexible hose
 All in blow mold case.



14.4V CORDLESS LI-ION GREASE GUN

Item #:20166

1 Battery 7000 PSI grease gun

Battery capacity :14.4V LI-ION battery 1500mAh
 High-Pressure delivery: 7000±1000psi
 High-flow rate:2.5 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL/SAA/GS/BS)
 1500mAh battery pack
 With 30" flexible hose
 All in blow mold case.



18.5V CORDLESS LI-ION

Item #:20167

1 Battery 10000 PSI grease gun

Battery capacity :18.5V LI-ION battery 1500mAh
 High-Pressure delivery: 10000±1000psi
 High-flow rate:3 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL/SAA/GS/BS)
 1500mAh battery pack
 With 31" flexible hose
 All in blow mold case.



19.2V CORDLESS LI-ION GREASE GUN

Item #:20168

1 Battery 12000 PSI grease gun

Battery capacity :19.2V LI-ION battery 1500mAh
 High-Pressure delivery: 12000±1000psi
 High-flow rate:2.5 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL/SAA/GS/BS)
 1500mAh battery pack
 With 30" flexible hose
 All in blow mold case.



12V CORDLESS NI-CD 1 BATTERY 6000 PSI GREASE GUN

Item #:20169

1 Battery 7000 PSI grease gun

Battery capacity :14.4V LI-ION battery 1500mAh
 High-Pressure delivery: 7000±1000psi
 High-flow rate:2.5 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL)
 With 30" flexible hose
 All in blow mold case.



14.4V CORDLESS NI-CD 1 BATTERY 7500 PSI GREASE GUN

Item #:20170

Battery capacity :14.4V NI-CD
 Battery 1500mAh
 High-Pressure delivery: 7500±1000psi
 High-flow rate:2 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL)
 With 31" flexible hose
 All in blow mold case.

12V CORDLESS NI-CD 2 BATTERY 6000 PSI GREASE GUN

Item #:20172

Battery capacity :12V NI-CD
 Battery 1500mAh
 High-Pressure delivery: 6000±1000psi
 High-flow rate:2 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL)
 With 31" flexible hose
 All in blow mold case.

14.4V CORDLESS NI-CD 2 BATTERY 7500 PSI GREASE GUN

Item #:20173

Battery capacity :14.4V NI-CD
 Battery 1500mAh
 High-Pressure delivery: 7500±1000psi
 High-flow rate:2.5 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL)
 With 31" flexible hose
 All in blow mold case.

18V CORDLESS NI-CD 1 BATTERY 8500 PSI GREASE GUN

Item #:20171

Battery capacity :18V NI-CD
 Battery 1500mAh
 High-Pressure delivery: 10000±1000psi
 High-flow rate:3 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL)
 With 42" flexible hose
 All in blow mold case.



18V CORDLESS NI-CD 2 BATTERY 8500 PSI GREASE GUN

Item #:20174

Battery capacity :18V NI-CD
 Battery 1500mAh
 High-Pressure delivery: 10000±1000psi
 High-flow rate:3 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL)
 With 42" flexible hose
 All in blow mold case.



GREASE GUNS

18.5V CORDLESS LI-ION GREASE GUN

Item #:20175

Battery capacity :18.5V LI-ION battery 1500mAh
 High-Pressure delivery: 10000±1000psi
 High-flow rate:3 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL/SAA/GS/BS)
 1500mAh battery pack
 With 42" flexible hose
 All in blow mold case.



18V CORDLESS NI-CD 2 BATTERY 8500 PSI GREASE GUN

Item #:20176

Battery capacity :18V NI-CD
 Battery 1500mAh
 High-Pressure delivery" 8500±1000psi
 High-flow rate:2 oz/min
 Reservoir:14.5/16 oz1hour quick charger (CETL)
 With 31" flexible hose
 All in blow mold case.



MANUAL MINI GREASE GUN

Item #:20177

3oz. Mini Grease Gun Working Pressure
 3000PSI
 12" Flexible Hose, Working Pressure
 3000PSI
 5-1/2"curved pipe With 4-jaw Coupler



MANUAL PISTOL GREASE GUN - HEAVY DUTY

Item #:20179


Professional 14oz. Lever Grease Gun
 Pressure: 6000PSI
 Black Matt Finish cartidge with non slip
 knurling.
 Black Plastic Grip Handle.
 5-1/2"curved pipe with
 coupler.
 18" Flex Hose.
 Air Bleeder Valve
 Each into a Color Box
 Packing



MANUAL LEVER GREASE GUN - HEAVY DUTY

Item #:20178

Professional 14oz. lever Grease Gun
 Pressure: 5000PSI
 zinc palted cartidge with non slip knurling.
 zince plated handle.
 18" flex hose.
 Air bleeder Valve
 Each into a Color Box Packing



MANUAL LEVER GREASE GUN - STANDARD DUTY

Item #:20180

Standard 14oz. Lever Grease Gun
 Pressure: 50000 PSI
 zinc palted cartidge with non slip knurling.
 zince plated handle.
 5-1/2" curved pipe with coupler.
 18" flex hose.
 Each into a Color Box Packing



GREASE GUNS

MANUAL LEVER GREASE GUN - HEAVY DUTY



Item #:20181

Professional 14oz. lever Grease Gun
 Pressure: 6000PSI
 Black Matt Finish cartidge with non slip knurling.
 Black plastic grip handle.
 5-1/2"curved pipe with coupler.
 18" flex hose.
 Air Bleeder valve
 Each into a Color Box Packing

2-IN-1 6000 PSI AIR OPERATED GREASE GUN

Item #:20182

Professional 14oz.
 Pressure: 6000PSI
 Black plastic grip handle.
 5-1/2"curved pipe with coupler.
 10" flex hose.
 Air Bleeder valve
 Each into a Color Box Packing



6 OZ METAL OIL CAN

Item #:20183

Housing Construction Metal,
 Brass Pump
 Capacity 6 (200) oz (ml)
 Spout Type Flexible Hose



16 OZ METAL OIL CAN

Item #:20185

Housing Construction Metal,
 Brass Pump
 Capacity 16 (500) oz (ml)
 Spout Type Flexible Hose



16 OZ METAL OIL CAN

Item #:20184

Housing Construction Metal,
 Steel Pump
 Capacity 16 (500) oz (ml)
 Spout Type Rigid Steel



34 OZ METAL OIL CAN

Item #:20186

Housing Construction Metal,
 Brass Pump
 Capacity 34 (1,000) oz (ml)
 Spout Type Flexible Hose & Rigid Steel



GALLON OIL DRAIN

8 GALLON OIL DRAIN

Item #:20187

- *Wheel-mounted, round-shaped waste oil drainer.
- *Ideal for simple waste oil change.
- *Adjustable height.
- *Translucent tank will clearly show the position of oil in the tank.
- *Material for Tank&Funnel: High-density Polyethylene.
- *Diameter for Funnel : 42cm(16.5in), with filter screen.
- *Material for Adjustable pipe: Aluminium, 5cm Dia.
- *Equipped with 4x 2.5" casters.
- *Oil temperature range from -30 to 80°C.



8 GALLON OIL DRAIN

Item #:20188


- *Wheel-mounted, round-shaped waste oil drainer.
- *Ideal for simple waste oil change. Waste oil is drained by gravity, through a 15 litres collection funnel.
- *With spring clip to control and fix aluminium pipe, in order to adjust working height.
- *With a tool pan to lay small repair tools, also you can pull oil drainer by handle of this tool pan.
- *Translucent tank will clearly show the position of oil in the tank.
- *Material for Tank&Funnel: High-density Polyethylene.
- *Diameter for Funnel : 42cm(16.5in), with filter screen.
- *Material for Adjustable pipe: Aluminium, 5cm Dia.
- *Equipped with 4x 2.5" casters.
- *Oil temperature range from -30 to 80°C.



9 GALLON OIL DRAIN

Item #:20189

- *Square-shaped, wheel-mounted, waste oil drainer.
- *Ideal for simple waste oil change. Waste oil is drained by gravity, through a 15 litres collection funnel.
- *With spring clip to control and fix aluminium pipe, in order to adjust working height.
- *With a tool pan to lay small repair tools, also you can pull oil drainer by handle of this tool pan.
- *Translucent tank will clearly show the position of oil in the tank.
- *Material for Tank&Funnel: High-density Polyethylene.
- *Diameter for Funnel : 42cm(16.5in), with filter screen.
- *Material for Adjustable pipe: Aluminium, 5cm Dia.
- *Equipped with 4x 2.5" casters.
- *Oil temperature range from -30 to 80°C.



18 GALLON OIL DRAIN

Item #:20190



- *Wheel-mounted waste oil drainer.
- *Ideal for simple waste oil change. Waste oil is drained by gravity, through a 15 litres collection funnel.
- *Adjustable height.
- *Translucent tank will clearly show the position of oil in the tank.
- *Material for Tank&Funnel: High-density Polyethylene.

- *Diameter for Funnel : 42cm(16.5in), with filter screen.
- *Material for Adjustable pipe: Aluminium, 5cm Dia.
- *Equipped with 4x 3" casters, 3/4" Valve
- *Oil temperature range from -30 to 80°C.
- *When oil drainer is full, oil can be discharged through 3/4" Valve at the bottom.



18 GALLON OIL DRAIN

Item #:20191

- *Wheel-mounted waste oil drainer.
- *Ideal for simple waste oil change. Waste oil is drained by gravity, through a 15 litres collection funnel.
- *Adjustable height.
- *Translucent tank will clearly show the position of oil in the tank.
- *Material for Tank&Funnel: High-density Polyethylene.
- *Diameter for Funnel : 42cm(16.5in), with filter screen.
- *Material for Adjustable pipe: Aluminium, 5cm Dia.
- *Equipped with 4x 3" casters, 3/4" Valve
- *Oil temperature range from -30 to 80°C.
- *When oil drainer is full, oil can be discharged through 3/4" Valve at the bottom.



18 GALLON OIL DRAIN

Item #:20192

- *Wheel-mounted waste oil drainer
- *Ideal for simple waste oil change. Waste oil is drained by gravity, through a 15 litres collection funnel.
- *With spring clip to control and fix aluminium pipe, in order to adjust working height.
- *With a tool pan to lay small repair tools, also you can pull oil drainer by handle of this tool pan.
- *Translucent tank will clearly show the position of oil in the tank.
- *Material for Tank&Funnel: High-density Polyethylene.
- *Diameter for Funnel : 42cm(16.5in), with filter screen.
- *Material for Adjustable pipe: Aluminium, 5cm Dia.
- *Equipped with 4x 3" casters, 3/4" Valve, Iron Manual Pump Set, Suction Hose, Draining Hose.
- *After oil collection, use manual pump to discharge oil out.
- *Oil temperature range from -30 to 80°C.



18 GALLON OIL DRAIN

Item #:20193



- *Wheel-mounted waste oil drainer
- *Ideal for simple waste oil change.Waste oil is drained by gravity, through a 15 litres collection funnel.
- *With spring clip to control and fix aluminium pipe,in order to adjust working height.
- *With a tool pan to lay small repair tools, also you can pull oil drainer by handle of this tool pan.
- *Translucent tank will clearly show the position of oil in the tank.
- *Material for Tank&Funnel:High-density Polyethylene.
- *Diameter for Funnel : 42cm(16.5in),with filter screen.
- *Material for Adjustable pipe:Aluminium,5cm Dia.
- *Equipped with 4x 3" casters, 3/4" Valve,Iron Manual Pump Set,Suction Hose, Draining Hose.
- *After oil collection,use manual pump to discharge oil out.
- *Oil temperature range from -30 to 80°C.

OIL DRAIN TANK

Item #:20194



- *Large 21in. x 9in. x 6in. collecting bowl
- *Height adjusts from 42in.–67in.
- *Oil is collected in user's own container for recycling
- *Handle and 5in. wheels in front and 2 1/2in. rear swivel casters for maneuverability
- *17 11/16in. x 15 3/8in. x 1 15/16in. platform
- *110-lb. weight capacity
- *Pail not included

ADJUSTABLE AIR-OPERATED OIL DRAIN WITH CASTERS, 20 GALLONS

Item #:20195

- *Tank Size (gal.) 20
- *Hose Length (in.) 74
- *Drain Bowl Height (in.) 14 1/2
- *This Adjustable Air-Operated Oil Drain with twin 6in. casters and twin 3in. casters is extremely stable and easy to maneuver. Featuring a durable, all-steel design and reinforced caster supports, the oil drain provides a safe, affordable option for draining, transferring and evacuating motor oils, as well as transmission and power steering fluids. It offers excellent mobility, easy bowl positioning and simple-to-use pressurized evacuation.



WASTE OIL STORAGE CONTAINER/OIL DRAIN PAN



Item #:20198

- *Stores oil for changes with eliminate mess and clean up when changing oil using this reliable oil drain pan.
- *The durable polyethylene storage container handles multiple oil changes, holding 4 gallon.
- *The oil pan has a large funnel with a raised lip, two wing plugs with rubber O-rings for drainage along with oversized handles for convenient transportation.
- *Material :High-density Polyethylene.



15L OIL DRAIN PAN

Item #:20199

- *For easier, cleaner fluid changes
- *Anti-splash lip contains fluid
- *Large spout for easy pouring
- *Molded handle makes carrying, pouring & storing easy
- *Material :High-density Polyethylene.



10L OIL DRAIN PAN

Item #:20200

- *For easier, cleaner fluid change
- *Anti-splash lip contains fluid
- *Large spout for easy pouring
- *Molded handle makes carrying, pouring & storing easy



16L OIL DRAIN PAN

Item #:20201

- *For easier, cleaner fluid changes
- *Anti-splash lip contains fluid
- *Large spout for easy pouring
- *Molded handle makes carrying, pouring & storing easy
- *Material :High-density Polyethylene.



IMPROVED SPOUT DESIGN WILL FIT INTO MOST JUGS TO ALLOW EASY FLUID TRANSFER

PROFILE OIL DRAINS



17 GALLON LOW-PROFILE OIL DRAIN

Item #:20202

- *Material :High-density Polyethylene.
- *Durable lightweight polyethylene construction
- *Great for low-profile applications with 6 3/4in. Height
- *Built-In iron manual pump with 8ft. evacuation hose for fast fluid draining
- *Includes T-handle and 4x 4in. heavy-duty casters for easy maneuverability and smooth handling
- *This ultra low-profile oil drain is ideal for low-profile applications, for fast action unloading, along with a mesh antisplash cover.



17 GALLON LOW-PROFILE OIL DRAIN

Item #:20203

- *Material :High-density Polyethylene.
- *Durable lightweight polyethylene construction
- *Great for low-profile applications with 6 3/4in. Height
- *Built-In DC 12V Battery pump with 5.9ft. evacuation hose with J hook for fast fluid draining
- *Includes T-handle and 4x 4in. heavy-duty casters for easy maneuverability and smooth handling
- *This ultra low-profile oil drain is ideal for low-profile applications for fast action unloading, along with a mesh antisplash cover.



17 GALLON LOW-PROFILE OIL DRAIN

Item #:20204

- *Material :High-density Polyethylene.
- *Durable lightweight polyethylene construction
- *Great for low-profile applications with 6 3/4in. Height
- *Built-In iron manual pump with 8ft. evacuation hose for fast fluid draining
- *Includes T-handle and 4x 4in. heavy-duty casters for easy maneuverability and smooth handling
- *This ultra low-profile oil drain is ideal for low-profile applications, for fast action unloading, along with a mesh antisplash cover.



DRAIN OIL PORTABLE 54 LITER

Item #:20205

- *Capacity 54 litres
- *Casters Swivel front wheel casters with grab handle for easy under vehicle positioning
- *Type Oil Drain



LOW-PROFILE OIL DRAIN — 15-GALLON, 110 VOLT, 2.5 GPM PUMP, STEEL

Item #:20206

- *Features + Benefits
- *110V, 60Hz, 1.6 Amp pump features a speed of 13,000 RPM, delivering a flow rate of 2 1/2 GPM
- *Expanded metal shield helps to reduce messy fluid splash
- *15 Amp GFCI with test/reset switch for safety



LOW-PROFILE OIL DRAIN — 15-GALLON, 12 VOLT, 10.5 GPM PUMP, STEEL

Item #:20207

- *Expanded metal cover reduces splash
- *Built-in 12V pump with 10 1/2 GPM flow rate makes fluid transfer quick and effortless — no manual pumping required
- *8ft. drain hose for fluid transfer to recycling or disposal containers
- *12V cables clamp to any 12V battery
- *3in. front swivel casters
- *5in. rear wheels
- *T-bar handle



LOW-PROFILE OIL DRAIN — 15-GALLON, MANUAL PUMP, STEEL

Item #:20208

- *Low-profile design makes the unit easy to use in many applications
- *Rotary hand pump with 8ft. evacuation hose makes it easy to empty the oil drain
- *Expanded metal cover reduces oil splash for less mess
- *Mesh grate covers the drain tub, preventing debris and other parts from falling into the oil
- *Heavy-duty steel construction with durable powder-coat paint finish
- *0.2 Liters per hand crank revolution for quick draining
- *Rolls on two 3in. swivel front casters and two 5in. rear wheels for smooth handling and easy portability
- *Includes comfort grip handle for easy portability
- *48in.L x 25in.W x 7 7/8in.H overall size



OILDRIP TRAY

OIL DRIP TRAY

Item #:20209



- *Mainly use for vehicle lift, double parking
- *Material :High-density Polyethylene.
- *Oil Drip Trays provide a safe and convenient way to store and handle waste oil.
- *Perfect for catching oil leaks and drips from vehicles.
- *Garages and workshops, service departments and maintenance crews will find drips trays to be an effective solution to keep your floors and ground surfaces clean.
- *Length:37.40in(95cm)
- *Width:23.62in(60cm)
- *Height:1.58in(4cm)
- *Thickness:1.5mm

OIL DRIP TRAY

Item #:20210



- *Mainly use for vehicle lift, double parking
- *Material :High-density Polyethylene.
- *Oil Drip Trays provide a safe and convenient way to store and handle waste oil.
- *Perfect for catching oil leaks and drips from vehicles.
- *Garages and workshops, service departments and maintenance crews will find drips trays to be an effective solution to keep your floors and ground surfaces clean.
- *Length:43.30in(110cm)
- *Width:23.62in(60cm)
- *Height:1.58in(4cm)
- *Thickness:1.5mm

OIL DRIP TRAY

Item #:20211



- *Mainly use for vehicle lift, double parking
- *Material :High-density Polyethylene.
- *Oil Drip Trays provide a safe and convenient way to store and handle waste oil.
- *Perfect for catching oil leaks and drips from vehicles.
- *Garages and workshops, service departments and maintenance crews will find drips trays to be an effective solution to keep your floors and ground surfaces clean.
- *Length:37.2in(94.5cm)
- *Width:17.71in(45cm)
- *Height:1.65in(4.2cm)
- *Thickness:1.5mm

OIL DRIP TRAY

Item #:20212



- *Mainly use for vehicle lift, double parking
- *Material :High-density Polyethylene.
- *Oil Drip Trays provide a safe and convenient way to store and handle waste oil.
- *Perfect for catching oil leaks and drips from vehicles.
- *Garages and workshops, service departments and maintenance crews will find drips trays to be an effective solution to keep your floors and ground surfaces clean.
- *Length:44in(111.76cm)
- *Width:37in(93.98cm)
- *Height:1.58in(4cm)
- *Thickness:2mm

TRANSMISSION DRAIN FUNNEL

Item #:20213



- *Capacity:4 gallon (15Liter)
- *Length:23.62in(60cm)
- *Width:22.83in(58cm)
- *Height:5.5in(14cm)
- *Heavy-duty plastic lift drain funnels extend the catch area of any lift drain.
- *The funnel catches any loose parts;Extend the catch area for safer drain area
- *Fluted design can be used for draining oil filters
- *Material :High-density Polyethylene.

MANUAL FLUID EXTRACTOR

MANUAL & PNEUMATIC FLUID EXTRACTOR

Item #:20214



- Specification
- Working Pressure: 0~170 PSI / 0~11.9 BAR
 - Air inlet: 1/4"
 - Tank Capacity: 9.0 Liter
 - Air Consumption: 5 CFM

Product Features

- *A large 9.0 Liter (2.35gallon) capacity Manual & Pneumatic fluid extractor, can be used to extract many kinds of non-explosive liquids.
- *Completely automatic using normal shop air, or using hand pump when you without shop air.
- *New safety design, when the tank is full of liquid, air inlet mechanism will be shut off automatically.
- *One man, fast, clean and easy operating.
- *None electric spark ,spark,safety for workshop.

MANUAL FLUID EXTRACTOR

Item #:20215



- Specification
- One man, fast, clean and easy operating.
 - None electric spark, safety for workshop.

Product Features

- *A large 9.0 Liter (2.35gallon) capacity Manual fluid extractor, can be used to extract many kinds of non-explosive liquids.
- *Completely using hand pump when you stay out of door and without shop air.
- *New safety design, when the tank is full of liquid, the unit will be shut off automatically.

FUNNEL OIL LOCKING

Item #:20216

- Type FLOTOOL Locking
Material Plastic
Model # 10709
Series FloTool
Brand Name Hopkins



FLASK OIL W/COVER&SPOUT 2LITRE



Item #:20217

Cover and flexible spout

FLASK OIL W/SPOUT&COVER 5LITRE



Item #:20218

Cover and flexible spout.

FITTING GREASE

FITTING GREASE 1/4-28 STR 5PCS



Item #:20219

- *Type Grease Fitting
- *Size 1/4-28 (straight)
- *Number of Pieces 5 PCS

FITTING GREASE 1/4-28X90 5PCS



Item #:20220

- *Type Grease Fitting
- *Size 1/4-28 (90°)
- *Number of Pieces 5 PCS

FITTING GREASE 1/8X90DEG 5PCS



Item #:20221

- *5 pc 90° 1/8 in. Pipe Angle Grease Fittings
- *Type Grease Fitting
- *Size 1/8 in. PT (45°)
- *Number of Pieces 5 PCS

FITTING GREASE 1/8X90DEG 5PCS



Item #:20222

- *5 pc 5/16 in. Drive-in Straight Grease Fittings
- *Type Grease Fitting
- *Size 5/16 in. (Drive-In)
- *Number of Pieces 5 PCS

FITTING GREASE DRV-IN 3/16 5PCS



Item #:20223

- *5 pc 3/16 in. Drive-in Straight Grease Fittings
- *Type Grease Fitting
- *Size 3/16 in. (Drive-In)
- *Number of Pieces 5 PCS

FITTING GREASE 1/8X90DEG 5PCS



Item #:20224

- *5 pc 90° 1/8 in. Pipe Angle Grease Fittings
- *Type Grease Fitting
- *Size 1/8 in. PT (45°)
- *Number of Pieces 5 PCS

KIT FITTING GREASE MM 100PCS



Item #:20225

- *5 pc 3/16 in. Drive-in Straight Grease Fittings
- *Type Grease Fitting
- *Size 3/16 in. (Drive-In)
- *Number of Pieces 5 PCS

KIT FITTING GREASE SAE 100PCS



Item #:20226

- *Type SAE
- *Contents 50 pc 1/4-28 (straight), 25 pc 1/8 in. PT (straight), 5 pc 1/4-28 (45°), 5 pc 1/4-28 (90°), 1/8 in. PT (45°), 5 pc 3/4 in. long 1/4-28, 5 pc 1/8 in. PT (90°)
- *Number of Pieces 100 PCS

FITTING GREASE 1/4-28X45 5PCS



Item #:20227

- *Type Grease Fitting
- *Size 1/4-28 (45°)
- *Number of Pieces 5 PCS

FITTING GREASE DRV-IN 1/4 5PCS



Item #:20228

- *Type Grease Fitting
- *Size 1/4 in. (Drive-In)
- *Number of Pieces 5 PCS

COUPLER GREASE


FITTING GREASE 1/8 STR 5PCS



Item #:20229

- *Type Grease Fitting
- *Size 1/8 in. PT (straight)
- *Number of Pieces 5 PCS

FITTING GREASE 1/8X65DEG 5PCS



Item #:20230

- *Type Grease Fitting
- *Size 1/8 in. PT (65°)
- *Number of Pieces 5 PCS

ADAPTER NEEDLE TIP GREASE

Item #:20231

- *Type Grease Tip Needle Adapter
- *Fittings Quick Connect



ADAPTER COUPLER GREASE 90DEG

Item #:20232

- *Type Grease Fitting Coupler 90° Adapter
- *Pressure Rating 4,500 PSI



KIT FITTING GREASE MM 100PCS



Item #:20233

- *Material Steel with nickel plating
- *Type Metric
- *Number of Pieces 100 PCS

*Contents 50 pc 6 mm (straight), 20 pc 8 mm (straight), 10 pc 10 mm (straight), 10 pc 6 mm (90°), 5 PCS 8 mm (90°), 5 PCS 10 mm (90°)

COUPLER GREASE 6000PSI



Item #:20234

- *Material Steel
- *Type Grease Fitting Coupler
- *Pressure Rating 6,000 PSI
- *Fittings 1/8 in. NPTF

NEEDLE GREASE INJECTOR

Item #:20235

- *Material Stainless steel
- *Type Needle Grease Injector
- *Length 1-1/2 in.
- *Pressure Rating 3,000 PSI
- *Fittings Quick Connect



COUPLER GREASE 4500PSI



Item #:20236

- *Material Steel
- *Type Grease Fitting Coupler
- *Pressure Rating 4,500 PSI
- *Fittings 1/8 in. NPTF

DISPENSER SEAL-OFF GREASE

Item #:20237

- *Type Seal-Off Grease Dispenser
- *Fittings 1/8 in. NPTF



COUPLER GREASE 4500PSI

Item #:20238



MOTOR STAND/CART



MOTOR STAND/CART



15-30HP Boat Motor Trolley Stand

★Brown Carton box+Shipping Mark

Item#	Carton Size	N.W./G.W.
10000	94.5 × 54 × 12.5cm	9/10.7KGS



5-15HP Boat Motor Trolley Stand

★Brown Carton box+Shipping Mark

Item#	Carton Size	N.W./G.W.
10001	88 × 42.5 × 13.5cm	6.5/8KGS



30-115HP Boat Motor Trolley Stand(Folding style)

★Brown Carton box+Shipping Mark

Item#	Carton Size	N.W./G.W.
10002	100 × 40.5 × 13cm	10.2/12.7KGS



Outboard Motor Carrier

★Brown Carton box+Shipping Mark

Item#	Carton Size	N.W./G.W.
10003	101 × 50.5 × 7.5cm	4/5.5KGS




15HP Boat Motor Trolley Stand(Unflodable)


★Brown Carton box+Shipping Mark

Item#	Carton Size	N.W./G.W.
10004	102.5 × 40.2 × 5cm	5.5/7KGS

ALUMINUM CAM TOOL BOX




Item#	Spec	Packcging	Packeg Size
10012	24"X24"X48"	1PCS/CTN	51X55X130CM



Item#	Spec	Packcging	Packeg Size
10013	18"X24"X48"	1PCS/CTN	51X70X130CM



Item#	Spec	Packcging	Packeg Size
10014	18"X24"X60"	1PCS/CTN	66X70X130CM



Item#	Spec	Packcging	Packeg Size
10015	18"X18"X60"	1PCS/CTN	51X55X160CM



Item#	Spec	Packcging	Packeg Size
10016	18"X18"X48"	1PCS/CTN	51X70X160CM



Item#	Spec	Packcging	Packeg Size
10017	24"X24"X60"	1PCS/CTN	66X70X160CM

ALUMINUM CAM TOOL BOX



**MAXIMUM
CAPACITY
500LBS**

FOLDABLE CARGO CARRIER

No matter where you're going, what you're hauling or which vehicle you're driving, Cargo carriers provide a convenient way to add storage space to your vehicle.

Basket-style cargo carriers are designed to be used as needed, using your trailer hitch. Their 6" high walls offer extra security for your items, and with their mesh base, basket cargo carriers clean up quickly and easily. They're perfect for a variety of cargo-everything from bulky camping gear to messy equipment.


Item #:10018

Product Size:60"*21"*6"
Package Size:29.8*21*5.7CM
Weight(LB):54
Loading:500lbs
Receiver Hitch:2"
Materials:Q235A
Surface treatment:Power-Coat



CARGO CARRIERS

- *Heavy duty construction - with a durable black powder coating
- *Great ideal for transporting cargo, camping equipment, hauling extra cargo bags, luggage and more
- *The cargo carriers lets you carry 1 bike and a load of gear on your roof while taking up just half of your usable crossbar space.



EASY ASSEMBLY

Roof Rack

Item #:10019


Product Size:58"X23"X61"
 Package Size:29.8X21x5.7CM
 Weight:24.7LBS
 Loading:200LBS
 Materials:Q235A
 Surface Treatment:Power-Coat

**MAXIMUM
CAPACITY
200LBS**




MULTIPURPOSE


The cargo net stretched to cover large and odd sized loads. There's a wide range of uses for our cargo net, most common uses and places to use our truck bed net are when Camping, daily Truck Use, Boats, Moving, Lawn Equipment, Appliances, Kayak, Luggage and many more.



Item #:20300



Item #:20301



Item #:20302



Item #:20303

TRAILER LED LIGHT KIT



TRAILER LED LIGHT KIT



MTL12LED: LED MAGNETIC TOWING LIGHT KIT

- ★ Item #:20240
- ★ Includes complete kit
- ★ Contents: 2 stop/tail/turn LED lights, transmitter with standard flat 4 wire vehicle trailer light connector and complete trilingual instructions
- ★ 12 Diodes per light
- ★ DOT FMVSS 108 compliant


TL12LEDR-2: 4PC DELUXE LED TRAILER LIGHT KIT

- ★ Item #:20241
- ★ LED light last 30-40 times longer than incandescent bulbs
- ★ Corrosion-resistant housing, waterproof
- ★ 22 ft. split Y-style harness
- ★ Kit includes: 2 tail lights, 2 side marker lights, wiring harness, license plate bracket, and mounting hardware
- ★ DOT FMVSS 108 compliant



Wire Connection Tips:

- Left Side:**
 White Wire: Ground(Negative)
- White Wire + Yellow Wire:
 High Brightness/Brake Light
- White Wire + Brown Wire:
 Low Brightness/Running Light/Left License Plate Lamp
- Right Side:**
 White Wire:Ground(Negative)
- White Wire + Green Wire:
 High Brightness/Brake Light
- White Wire + Brown Wire:
 Low Brightness/Running Light





Meat Lug



5" Meat Lug/White

Item #:20307

Capacity:5"

7" Meat Lug/White

Item #:20308

Capacity:7"

5" & 7" Meat Lug Cover/White

Item #:20309



5" Meat Lug/Grey

Item #:20328

Capacity:5"



7" Meat Lug/Grey

Item #:20329

Capacity:7"



5" & 7" Meat Lug Cover/Grey

Item #:20330

SALT/PEPPER MILLS



Electric Salt/Pepper Mills



Item #:20294

Battery Type:4*AA
Size:Φ5.2*22.3cm
Packing:36pcs/ctn
G.W./N.W.:12.58/10.5kgs
Measurement:35.6*35.1*25.6cm



Item #:20296

Battery Type:6*AAA
Size:Φ6.6*18.5cm
Packing:24pcs/ctn
G.W./N.W.:9.6/9.3kgs
Measurement:41*27.5*21.5cm



Item #:20297

Size:Φ5.2*22cm
Packing:36pcs/ctn
G.W./N.W.:10.79/8.85kgs
Measurement:35*34.5*25.2cm

Manual Salt/Pepper Mill



Item #:20299

Size:Φ5.7*15cm
Packing:48pcs/ctn
G.W./N.W.:9.99/8.22kgs
Measurement:35*23.5*36cm



Item #:20298

Size:9.3*4.7*15.8cm
Packing:24sets/carton
G.W./N.W.:7.2/6.2kgs
Measurement:45*34.5*25.5cm



JERKY GUN KIT



JERKY GUN KIT



Item #:20103
 ★SPEC:9"
 ★Material:Plastic gun body
 ★Packge Size:35X21.5X7.4CM



Item #:20104
 ★SPEC:9"
 ★Material:Aluminum gun body
 ★Packge Size:35X21.5X7.4CM



Item #:20105
 ★SPEC:9"
 ★Material:Aluminum gun body
 ★Packge Size:49.5X21.5X7.5CM



COOLER/COOLER BOX



Cooler/Cooler box

A BOTTLE OPENER AT THE FRONT

Item #:20332

The heat preservation time: 24 to 48 hours
Volume 13L, Can accommodate 12 bottles of 330 ml or 16 330 ml cans of beer.

According to the pantone color number to custom color

The overall size:

Outside Size:32x24x38cm

Inner Size:25.5*19.5*27.5cm

Carton Size:34x30x41cm



Metal Cooler

-NO TRAY

Item #:20334

Product Name: Metal Cooler

The heat preservation time: 24 to 48 hours

Volume 75L, Can accommodate 96 bottles of 330 ml cans of beer or 128-330 ml.

According to the pantone color number to custom color

LOGO can be customized

Product Size: 90.5x38.5x88cm

Outside Carton box Size: 82x45x43cm

The wheel: 3" (Wheel diameter: 7CM)

Metal Cooler

Item #:20272

The heat preservation time: 24 to 48 hours

Volume 75L, Can accommodate 96 bottles of 330 ml cans of beer or 128-330 ml.

According to the pantone color number to custom color

LOGO can be customized

Product Size: 90.5x63x100cm

Outside Carton box Size: 82x45x43cm

Inflatable rubber wheels: 10" (Wheel diameter: 12.5CM)



Metal Cooler

-TAKE THE TRAY

Item #:20335



CAULKING GUN DRUM SERIES

DRUM SERIES



9" WITH BIG CURVED HOOK

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Aluminum
Other colors can be produced
- ★ 4mm Driver 2 PCS



Item#	QTY	Carton Size	N.W./G.W.
20001	12PCS	46 x 22 x 32cm	7/8KGS



15" WITH BIG CURVED HOOK

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Aluminum
Other colors can be produced
- ★ 10mm Driver Powder Metallurgy 1PC



Item#	QTY	Carton Size	N.W./G.W.
20003	12PCS	60 x 22 x 32cm	9/10KGS



9" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Plastic
Other colors can be produced
- ★ 10mm Driver Powder Metallurgy 1PC



Item#	QTY	Carton Size	N.W./G.W.
20006	12PCS	46 x 22 x 32cm	7/8KGS



9" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Aluminum
Other colors can be produced
- ★ 10mm Driver Powder Metallurgy 1PC



Item#	QTY	Carton Size	N.W./G.W.
20007	12PCS	46 x 22 x 32cm	8/9KGS



15" WITH T PULL ROD

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Aluminum
Other colors can be produced
- ★ 10mm Driver Powder Metallurgy 1PC



Item#	QTY	Carton Size	N.W./G.W.
20008	12PCS	60 x 22 x 32cm	9/10KGS



15" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Aluminum
Other colors can be produced
- ★ 10mm Driver Powder Metallurgy 1PC



Item#	QTY	Carton Size	N.W./G.W.
20009	12PCS	60 x 22 x 32cm	9/10KGS



9" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Aluminum
Other colors can be produced
- ★ 4.5mm Driver 1 PC



Item#	QTY	Carton Size	N.W./G.W.
20010	12PCS	60 x 22 x 32cm	9/10KGS



9" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Aluminum
Other colors can be produced
- ★ 4mm Driver 2 PCS



Item#	QTY	Carton Size	N.W./G.W.
20012	12PCS	46 x 22 x 32cm	6/7KGS



9" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ Aluminum black coated handle
- ★ The barrel can rotate 360°
- ★ Gun body is Plastic
Other colors can be produced
- ★ 4mm Driver 2 PCS



Item#	QTY	Carton Size	N.W./G.W.
20017	12PCS	46 x 22 x 32cm	6/7KGS

ROTARY SERUIES



ROTARY SERIES



9" WITH ROUND ROD,
BIG CURVED HOOK

- ★ Round rod
- ★ 10mm Driver Powder Metallurgy 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20023	24PCS	48 x 27 x 31cm	15/16KGS



9" WITH ROUND ROD,
BIG CURVED HOOK

- ★ Round rod
- ★ 10mm Driver Powder Metallurgy 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20026	24PCS	51 x 27 x 31cm	15/16KGS



13.5" WITH ROUND ROD,
BIG CURVED HOOK

- ★ 10mm Driver Powder Metallurgy 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20028	12PCS	55 x 29 x 25cm	11/12KGS



10.5" WITH ROUND ROD,
BIG CURVED HOOK

- ★ 10mm Driver Powder Metallurgy 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20031	24PCS	51 x 27 x 31cm	15/16KGS



9" WITH ROUND ROD,
BIG CURVED HOOK

- ★ 10mm Driver Powder Metallurgy 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20037	24PCS	51 x 27 x 31cm	15/16KGS



9" WITH ROUND ROD,
BIG CURVED HOOK

- ★ 4mm Driver 2 PCS
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20038	24PCS	48 x 27 x 31cm	13/14KGS



9" WITH ROUND ROD,
BIG CURVED HOOK

- ★ 4mm Driver 2 PCS
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20039	24PCS	51 x 27 x 31cm	15/16KGS



9" WITH ROUND ROD,
BIG CURVED HOOK

- ★ 4mm Driver 2 PCS
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20040	24PCS	48 x 27 x 31cm	13/14KGS




9" WITH ROUND ROD,
BIG CURVED HOOK

- ★ 4mm Driver 2 PCS
- ★ Aluminum black coated handle
- ★ Spray gun body
- Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20042	12PCS	48 x 27 x 29cm	13/14KGS



DOUBLE-POLE DOUBLE-BARRELED SERIES

..... DOUBLE-POLE DOUBLE-BARRELED SERIES

9" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ 10mm Driver Powder Metallurgy
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20044	12PCS	44 x 38 x 22cm	11/12KGS

13.5" WITH DOUBLE-ENDED TIE ROD

- ★ Round rod
- ★ 4mm Driver 2 PCS
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20045	12PCS	47 x 28 x 23cm	11/12KGS

FRAME SERIES



FRAME SERIES



9" WITH SMALL CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20048	36PCS	36 x 24 x 31cm	11/12KGS



9" WITH BIG CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20049	36PCS	36 x 25 x 36cm	15/16KGS



10.5" WITH SMALL CURVED HOOK, BIG CURVED HOOK

- ★ Hexagonal rod
- ★ 10mm Driver Powder Metallurgy
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20051	24PCS	41 x 25 x 24cm	10/11KGS



9" WITH SMALL CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Plastic handle
- ★ Plastic gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20055	40PCS	36 x 27 x 48cm	11/12KGS



9" WITH BIG CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20056	24PCS	36 x 25 x 26cm	6/7KGS



9" WITH SMALL CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20057	36PCS	36 x 24 x 31cm	12/13KGS



9" WITH BIG CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20061	24PCS	36 x 26 x 25cm	11/12KGS



9" WITH SMALL CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20063	24PCS	36 x 24 x 26cm	11/12KGS



9" WITH BIG CURVED HOOK

- ★ Hexagonal rod
- ★ 4mm Driver 1 PC
- ★ Aluminum black coated handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20071	24PCS	46x25x30cm	13/14KGS

RATCET-TYPE SERIES



RATCET-TYPE SERIES



9" WITH SMALL CURVED HOOK

- ★ Ratchet rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20072	24PCS	42 x 23 x 30cm	8/9KGS



13" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20073	12PCS	58 x 26 x 23cm	9/10KGS



9" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20074	12PCS	58 x 26 x 23cm	9/10KGS



9" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20075	24PCS	46 x 24 x 32cm	12/12.5KGS



9" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20076	24PCS	46 x 24 x 33cm	12/12.5KGS



9" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron chrome plated or sprayed handle
- ★ Chroming or Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20077	24PCS	46 x 24 x 33cm	12/12.5KGS



9" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron chrome plated or sprayed handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20078	24PCS	46 x 24 x 33cm	13/14KGS



9" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20079	24PCS	46 x 24 x 33cm	12/12.5KGS



9" WITH BIG CURVED HOOK

- ★ Ratchet rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20081	24PCS	46 x 24 x 33cm	12/12.5KGS

PU-TYPE SERIES



PU-TYPE SERIES



9" WITH BIG CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20084	24PCS	46 x 24 x 33cm	13/14KGS



9" WITH SMALL CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20085	40PCS	44 x 29 x 38cm	15.5/16.5KGS



9" WITH SMALL CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20086	40PCS	44 x 29 x 38cm	15.5/16.5KGS



10.5" WITH BIG CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20087	24PCS	46 x 22 x 33cm	9/10KGS



9" WITH SMALL CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20088	40PCS	44 x 29 x 38cm	15.5/16.5KGS



9" WITH SMALL CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20089	40PCS	44 x 29 x 38cm	15/16KGS



9" WITH SMALL CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20090	40PCS	44 x 29 x 38cm	15/16KGS



9" WITH BIG CURVED HOOK

- ★ Round rod
- ★ 4mm Driver 1 PC
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20091	24PCS	43 x 24 x 32cm	9/10KGS



9" WITH BIG CURVED HOOK

- ★ Hexagonal rod
- ★ Iron spray handle
- ★ Spray gun body
Other colors can be produced



Item#	QTY	Carton Size	N.W./G.W.
20092	24PCS	43x24x32cm	9/10KGS

ELECTRIC CAULKING GUN

High Quality . Support OEM/ODM



ELECTRICAL CAULKING GUN

Item #:20320

PACK	Plastic Box	QTY	4
G.W/N.W(KG)	16.5/16.2	MEAS(CM)	61*31*11

Voltage	21V	Battery type	2000mAh Lithium Type
Weight	2.0kgs(without battery pack)	Caulking speed	0-8.7mm/sec
Max working pressure	7300N	Capacity	300ml-600ml
Max thrust	6500N	Material	Plastic + Aluminum



Cordless Caulking Gun Double-Tube

Item #:20317

Rated voltage:21V
Max propulsion:8000N
Max feed speed:4.0mm/s

PAINT MIXER



PAINT MIXER

MIXERS FOR PAINTS, MORTARS, PLASTERS, COMPOUNDS

Item#:20095



- ★ Double helix stirrer, for heavy and dense materials
- ★ Hex Head fits securely on standard hand drills
- ★ Ribbon Design to keep mixing flow inside bucket and prevents splatters



Dia.	Length	PCS/CTN	Carton Size
40MM	400MM	40PCS	44X20X26CM
60MM	400MM	40PCS	44X24X34CM
80MM	400MM	40PCS	44X24X41CM



Item#:20097



- ★ Fan shape stirrer for paints, mortars and mixtures
- ★ Plastic head cap for storage and hanging (remove when using mixer)



Dia.	Length	PCS/CTN	Carton Size
60MM	380MM	40PCS	40X18X20CM

Item#:20096



- ★ Fan shape stirrer for paints, mortars and mixtures
- ★ Plastic head cap for storage and hanging (remove when using mixer)



Dia.	Length	PCS/CTN	Carton Size
80MM	400MM	24PCS	44X24X34CM

Item#:20098




- ★ Plastic head cap for storage and hanging (remove when using mixer)
- ★ Hex Head fits securely on standard hand drills
- ★ Ribbon Design to keep mixing flow inside bucket and prevents splatters



Dia.	Length	PCS/CTN	Carton Size
100MM	600MM	20PCS	64X20X26CM
120MM	600MM	20PCS	67X27X35CM

Item#:20099



- ★Basket stirrer with stiffening, for paints, varnishes and mortars
- ★Hex Head fits securely on standard hand drills
- ★Zinc plated steel prevents rust even after rinsing with water



Dia.	Length	PCS/CTN	Carton Size
80MM	400MM	40PCS	44X24X34CM
100MM	600MM	20PCS	64X24X36CM

Item#:20100



- ★Plastic head cap for storage and hanging(remove when using mixer)
- ★Hex Head fits securely on standard hand drills
- ★Zinc plated steel prevents rust even after rinsing with water
- ★Ribbon Design to keep mixing flow inside bucket and prevents splatters



Dia.	Length	PCS/CTN	Carton Size
140MM	600MM	12PCS	64X30X10CM

Item#:20101



- ★Hex Head fits securely on standard hand drills
- ★Ribbon Design to keep mixing flow inside bucket and prevents splatters



Dia.	Length	PCS/CTN	Carton Size
80MM	400MM	40PCS	44X25X36CM
120MM	600MM	20PCS	64X28X35CM


Item#:20102



- ★Paddle shape stirrer for paints, mortars and mixtures
- ★Big size:M14 thread attachment
- ★Small size:Hex Head fits securely on standard hand drills
- ★Aeration stirrer



Dia.	Length	PCS/CTN	Carton Size
180MM	600MM	4/16PCS	66X41X41CM
300MM	600MM	4/16PCS	66X41X41CM





HOSE REEL

HOSE REEL



INDUSTRIAL GRADE STEEL RETRACTABLE AIR HOSE REEL - SMALL TYPE


Applications

Item #:20249

Steel auto-retractable air hose reel made from strong powder coated steel, used for the delivery of air for automotive industrial and in-plant applications, much easier handling and less effort while operating.


Construction

Made from strong powder coated steel.
Hybrid, PU and rubber air hose available for hose reel.



Features

- Steel Construction-Heavyduty supporting arm construction with corrosion resistant powder coating 48 hours salt fog tested
- Guide Arm -Multiple guide arm positions provide versatile uses and easier field adjustment
- Non-Snaa Roller -Four direction rollers reduce hose wear/abrasion
- Spring guard-Protects hose from wearing/assures long hose life
- Self-Laying System-Spring powered auto rewind with 8,000 full retraction cycles twice of regular spring
- Easy Mounting-Base can be mounted on wall/ceiling or floor
- Adjustable Hose Stopper-Ensures the outlet hose reachable



Part#	Hose I.D	Hose Type	Length
Part 1	1/4"	YohkonFlex® Hybrid Air Hose	15 m
Part 2	5/16"	FlexPert® Air Hose	10 m
Part 3	3/8"	Grandeur® Rubber Air Hose	10 m

Note: Other hoses and couplings available upon request. Custom color and private brand applicable.


Applications

Item #:20250

Spring-driven retraction hose reel, suitable for the fuel or def transfer of pump applications
Maximum hose pressure rating of 150psi

Construction

Steel construction for strength and durability
solid steel axle and lubricated,adjustable arm guide




Features

- Steel Construction - Heavy duty dual supporting arms construction with corrosion resistant powder coating 48 hours salt fog tested
- Guide Arm - Multiple guide arm positions provide versatile uses and easier field adjustment
- Non-Snag Roller - Four direction rollers reduce hose wear abrasion
- Spring guard -Protects hose from wearing, assures long hose life
- Self-Laying System - Spring powered auto rewind with 8,000 full retraction cycles twice of regular spring
- Easy Mounting - Base can be mounted on wall, ceiling or floor
- Adjustable Hose Stopper - Ensures the outlet hose reachable

Part#	Hose I.D	Hose Type	Length
Part 1	1/4"	YohkonFlex® Hybrid Air Hose	15 m
Part 2	5/16"	FlexPert® Air Hose	10 m
Part 3	3/8"	Grandeur® Rubber Air Hose	10 m

Note: Other hoses and couplings available upon request. Custom color and private brand applicable.



Applications

Item #:20251


PP auto-retractable cable reel made from impact resistance polypropylene, with self-laying system and position lock design,ideal from indoor cable work applications.

Construction

Made from premium polypropylene
Cable, plug and socket can be custom

Features

- PP Construction - For impact and Ozone resistance, UV stabilization and durability
- Self-Laying System - For hose neat auto retraction
- Optional-Position Lock - Locks the hose at any length you want
- Swivel Mounting Bracket - Can be wall or ceiling mounted
- Adjustable Cord Stopper - Safety retracts and stops cable
- Over Load Protector Button



ITEM NO	CABLE TYPE	LENGTH	MAX LOAD
Part 1	3Gx1.5mm2 HO7RN	10 M	1100W (fully reeled)/ 3200W(fully extended)
Part 2	3Gx1.5mm2 HO5RR	15 M	1100W (fully reeled)/ 3200W(fully extended)

Note: Other lengths and couplings available upon request. Custom color and private brand applicable.





Electric Mixer Machine



Electric Mixer

Item #:30040

- ★Voltage/Frequency:230-240V/50Hz
- ★Input Power:1200W
- ★No-load Speed:100-700 Rpm
- ★With Foldable Mixer Bar(M14x120mm)
Aluminium Gear box
- ★Working Torque: 7.1N.m
- ★Without soft start
- ★VDE Plug · 1.8m PVC Cable (H05VV-F 2x1.0mm)
- ★Packing in Color box

LASER LEVEL



LASER LEVEL



Laser Level

Item #:30045

1. Both metal and ABS plastic window frame can be made, the quotation is based on ABS plastic window frame;
2. The outer layer is made of ABS+TPE with common quality;
3. OEM for all styles is acceptable;
4. The price includes all accessories;

Laser Level

Item #:30052

1. Both metal and ABS plastic window frame can be made, the quotation is based on ABS plastic window frame;
2. The outer layer is made of ABS+TPE with common quality;
3. OEM for all styles is acceptable;
4. The price includes all accessories;



Laser Level

Item #:30054

1. Both metal and ABS plastic window frame can be made, the quotation is based on ABS plastic window frame;
2. The outer layer is made of ABS+TPE with common quality;
3. OEM for all styles is acceptable;
4. The price includes all accessories;

Laser Level

Item #:30063

Touch Key: Yes
 Remote Control: Yes
 Laser Type: LD Green 520nm
 Laser Class: Class II
 Laser Power: 30mW×3
 Accuracy: ±3mm/10m

Leveling Range :4° 1°
 Ingress Protection: IP54
 Charge Mode: USB-C Charging Socket
 Extension Angle: H&V: 360°
 Power Source: 3.7V 4500mAh Li-ion
 Leveling Time: ≤3s




PPE



Safety Glasses

Item #:20363

Material: PC lens, nylon frame, adjustable legs.
 Function: Anti-UV/Anti-scratch/Anti-tog for choice
 Color: Various colors for choice
 Quality standard: CE EN166&ANSI Z87.1



3-Layer Dust Mask

Item #:20364



4-Layer Dust Mask with Filter

Item #:20365




Earmuff

Item #:20366

Lightweight Bump Cap

CE&EN812



Item #:20367

ABS inner shell,different colors fabric outer for choosing.



PRO TPPL UNIVRSAL WORK LIGHT

PRODUCT FEATURES

- 1.High SMD efficiency lumen output with 1800lm
2. Interchangeable lithium-ion battery system,Powered by Bosch / Makita / Dewalt / Milwaukee 18V
- 3.Handle and pipe hook could mount to workshop tripods
- 4.Magnetic base keeps both your hands free while working



PRODUCT FEATURES

Item no	Power	LED	Lumen	Dimension	Certificates
20268	20w Bosch base	SMD2835	1800Lm	155*132*155mm	CE,RoHs
20269	20w Makita base	SMD2835	1800Lm	155*132*155mm	CE,RoHs

GO-DOLPHIN IP66 LED FLOOD LIGHT

PRODUCT FEATURES

- 1.Lighting Angle : 30° ,60° ,90° ,120°
- 2.Luminous efficiency : 150lm/W
- 3.Whole Aluminum body,durable rust and corrosion resistance
- 4.Waterproof IP66 and Weatherproof
- 5.Super slim design looks nicer and better than Philips dolphin thick design
- 6.Bottom vent design for anti-vapor



PRODUCT FEATURES

Model	Power	Luminous Efficiency(lm/w)	Input Voltage(V)	Color temperature(CCT)	Dimension	Certificates
20274	50W	140-150lm /w	AC100-240V	3000K/4000K/6000K	282*204*52 mm	CE,RoHs
20275	80W	140-150lm /w	AC100-240V	3000K/4000K/6000K	337*269*52mm	CE,RoHs
20276	120W	140-150lm /w	AC100-240V	3000K/4000K/6000K	394*394*56mm	CE,RoHs
20277	200W	140-150lm /w	AC100-240V	3000K/4000K/6000K	445*392*56mm	CE,RoHs
20278	300W	140-150lm /w	AC100-240V	3000K/4000K/6000K	497*392*56 mm	CE,RoHs
20279	400W	140-150lm /w	AC100-240V	3000K/4000K/6000K	503*545*64 mm	CE,RoHs

GO-PRIME UNIVRSAL WORK LIGHT

PRODUCT FEATURES

- 1.High SMD efficiency lumen output with 2000lm / 3000lm / 5000lm
- 2.Powered by Bosch /Makita / Dewalt / Milwaukee 18V battery pack
- 3.Interchangeable lithium-ion battery system
- 4.Magnetic base easy keeps both your hands free while working
- 5.Dimmable brightness & white flashing function for different needs.



PRODUCT FEATURES

Model	Power	Lumen Luminous Flux	Dimension	Certificates
20284	20W	2000Lm	146*112*280mm	CE,RoHs,FCC
20285	30W	3000Lm	220*200*345mm	CE,RoHs,FCC
20286	50W	5000Lm	220*200*345mm	CE,RoHs,FCC

WALL CHASER MACHINE

Wall Chaser Machine

Item #:20304

Rated voltage/ Frequency:220 240V/50Hz/60Hz
 Max power2800w
 Blade size: Φ80mm
 Max.Cutting Depth:35mm
 Max.Cutting Width:30mm
 No-lead Speed:1 900r/min



Wall Chaser Machine

Item #:20305

Max power:300ow
 Blade size:121*20*2.1mm
 Max.Cutting Depth:39mm
 Max.Cutting Wwidth:28mm
 No-lead Speed:7500r/min
 Rated voltage/ Frequency:220~240V/50Hz/60Hz



Wall Chaser Machine

Item #:20306

Rated voltage/ Frequency:220 240V/50Hz/60Hz
 Max power3000w
 Blade size:320*25.4mm
 Max.Cutting Capacity:136mm
 No-lead Speed:3500r/min



Tile Tiling Machine

Item #:20315

Voltage: DC12V
 Battery capacity: 2200mA
 Suction cupdiameter:120MM
 Net weight: 1,2KG
 Charging time: 120min
 Adsorption forces: 30KG



AIR TOOLS

Air Coil Nailer

Item #:20338

Dimension: 283*131*270mm
 Weight:2.7kgs
 Required pressure:85-115PSI(5.8-8bar)
 Max pressure: 120 PSI (8.3bar)
 Nail capacity:300-350pc



Air Mini Wrench

Item #:20339

Square Drive:1/2"
 Capacity Bolt Size:16mm
 Free Speed Rpm:8500
 Max torque:610N.m
 Air Inlet(NPT):1/4"
 Air Hose(ID):3/8"
 Avg Air Consumption:5cfm
 Net Weight: 1.45kg
 Working Pressure:6.3bar



Air Sander

Item #:20340

6"150mm air sander(Rear exhaust)
 Free speed Rpm: 10,000
 Eccentric Drbit:5mm
 Air Inlet:1/4"
 Air Hose(ID):3/8"
 Avg.Air Consumption:4.5 cfm
 Sug.Air Comp.((HP):2
 Net Weight:0.8kgs
 Max working pressure:90PSI



Air Drill

Item #:20345

Grinder cap:3/8"
 Free speed Rpm:1800
 Air inlet(NPT):1/4"
 Air hose(ID):3/8"
 Overall length:170mm
 Net weight:0.94kgs
 Acg air consumption:4cfm
 Sug air comp:2HP



Hot Sale Air Tools

Item #:20344

Standard Nozzle:φ1.5mm
 Operating Pressure:2.0-3.5
 Pattern Width:180-280mm
 Air Consumption:3.0-3.9cfm
 Paint Capacity:600cc



Air Cut Off Tool

Item #:20346

Cutting Disc:3"
 Free Speed:18000 Rpm
 Air Inlet (Npt):1/4"
 Air Hose(Id):3/8"
 Sug.Air Conmp:2Hp
 Net Weight:0.7kg
 Overall Length:185mm



Air Cut Off Tool

Item #:20347

Tyre inflating gun
 Max pressure:7bar



Slam Shut Pressure Fit Metal Gate

Item #:20242



- *Gate Dimension: width:75cm-82cm, height:74cm
- *One-handed use and two way opening.
- *The gate is easy close and Simply release the handle
- *The gate is easy close and Simply release the handle
- *The double-locking system is easy for an adult to operate and difficult for a child.
- *This pressure fit gate also includes hardware for extra safety.
- *Fit for 7cm/14cm/28cm extension for extra wider space.Extension sold separately.
- *Fit for a plastic ramp at the bottom tube, the ramp could help to prevent trip when cross the gate.Ramp sold seperately.
- *Color: White / Black



7cm extension
Extension Dimension:
width:7cm, height:74cm



14cm extension
Extension Dimension:
width:14cm, height:74cm



28cm extension
Extension Dimension:
width:28cm, height:74cm



It fit for 20242 for extra wider space
Color: White I Black

Magnet Auto Close Gate

Item #:20243



- *Gate Dimension: width:75cm-82cm, height:74cm
- *With the magnet effect, the gate will auto closed by itself at any degree
- *The double-locking system is easy for an adult to operate and difficult for a child.
- *One-handed use and two way opening.
- *This pressure fit gate also includes hardware for extra safety.
- *Fit for 7cm/14cm/28cm extension for extra wider space.Extension sold separately.
- *Fit for a plastic ramp under the bottom tube which could help to prevent trip whencross the gate.Ramp sold seperately.
- *Color: White / Black

7cm extension
Extension Dimension:
width:7cm, height:74cm



14cm extension
Extension Dimension:
width:14cm, height:74cm



28cm extension
Extension Dimension:
width:28cm, height:74cm



Single Panel Wall Mount Metal Gate

Item #:20244



- *Gate Dimension: width:75cm-82cm, height: 73cm
- *Single panel metal gate
- *One-handed use and two way opening.
- *The double-locking system is easy for an adult to operate and difficult for a child.
- *Screw fit and quick release fittings for removal when note required.
- *Wild walk through section.
- *Color: White / Black

Extending Wall Mount Metal Gate

Item #:20245



- *Gate Dimension: width:60-97cm, height:73cm
- *Two panels extending metal gate.
- *One-handed use and two way opening.
- *The double-locking system is easy for an adult to operate and difficult for a child.
- *Screw fit and firm installation
- *Wide walk through section.*Color: White / Black



Single Panel Wall Mount Metal Gate

Item #:20246

- *Gate Dimension: width: 75cm-82cm, height:74cm
- *New Zealand Pine wood inner frame and metal outer frame
- *The gate is easy close and Simply release the handle
- *The double-locking system is easy for an adult to operate and difficult for a child.
- *This pressure fit gate also includes hardware for extra safety.
- *Fit for 7cm/14cm/28cm extension for extra wider space.Extension sold separately.
- *Fit for a plastic ramp at the bottom tube, the ramp could help to prevent trip when cross the gate.Ramp sold seperately.
- *Color: Wood-Painting in expresso i natural color, Metal-Powder coating in black / white



SAFETY GATE FOR PET



Three Metal Panels Room Divider

Item #:20252


- *Three Metal Panels Room Divider
- *Dimension: width: 201cm,height: 74cm
- *Double locking system
- *1 handed opening and locking
- *The playpen will not deform after pushing
- *Full metal playpen-flat top
- *Fold away when not in use
- *Color: White/Black



Single Panel Wall Mount Wooden Gate

Item #:20247

- *Gate Dimension: width 71.5-78.5cm height: 73cm
- *Single panel wooden gate
- *Made by New Zealand Pine
- *One hand use and two way opening
- *The double locking system is easy for an adult to operate and difficult for a child
- *Screw fit and firmly installation
- *Wide walk through section*Color: Nature



Fabric Playpen

Item #:20253

- *Playpen Dimension: height 74cm: ,width: 120cm ,depth: 103cm
- *Double locking system
- *1 handed opening and locking
- *The playpen will not deform after pushing
- *Soft fabrics protect the baby
- *Fold away when not in use
- *Converts to room divider, maximum 5 panels connected as room divider, maximum width is 318cm
- *Mat is for soft. it sold separately.
- *Color: Black metal and Navy blue fabric



Slam Shut Pine Wood And Metal Pressure Fit Gate

Item #:20248



- *Gate Dimension: width: 75cm-82cm, height:74cm
- *New Zealand Pine wood inner frame and metal outer frame
- *The gate is easy close and Simply release the handle
- *The double-locking system is easy for an adult to operate and difficult for a child.
- *This pressure fit gate also includes hardware for extra safety.
- *Fit for 7cm/14cm/28cm extension for extra wider space.Extension sold separately.
- *Fit for a plastic ramp at the bottom tube, the ramp could help to prevent trip when cross the gate.Ramp sold separately.
- *Color: Wood-Painting in espresso / natural color,Metal-Powder coating in black / white



Metal Playpen

Item #:20254

- *Metal Playpen
- *Playpen dimension: height 74cm: ,width: 120cm ,depth: 103cm
- *Double locking system
- *1 handed opening and locking
- *The playpen will not deform after pushing
- *Full metal playpen-flat top
- *Fold away when not in use
- *Converts to room divider, maximum 5 panels connected as room divider, maximum width is 318cm
- *Mat is for soft. it sold separately.*Color: White/Black

SAFETY GATE FOR PET



Auto Close Pressure Fit Metal Gate

Item #:20255

- *Gate Dimension: width:77cm-83cm, height:76.5cm
- *With the magnet effect, the gate will auto closed by itself at any degree
- *The double-locking system is easy for an adult to operate and difficult for a child.
- *One-handed use and two way opening.
- *This pressure fit gate also includes hardware for extra safety.
- *Fit for 6cm/12cm/18cm extension for extra wider space. Extension sold separately.
- *Fit for a plastic ramp under the bottom tube which could help to prevent trip when cross the gate. Ramp sold separately.
- *Color: White / Black



6cm extension
Extension Dimension: width:6cm, height:76.5cm
It fit for M2 gate for extra wider space
Color: White / Black



12cm extension
Extension Dimension: width:12cm, height:76.5cm
It fit for M2 gate for extra wider space
Color: White / Black



18cm extension
Extension Dimension: width:18cm, height:76.5cm
It fit for M2 gate for extra wider space
Color: White / Black

EN:1930

METAL DUST PAN



Item#:20106



- ★ 12 inch Iron Dustpan
- ★ Material: Iron
- ★ Surface Treatment: Plastic Spraying
- ★ 12PCS/CTN

Item#:20107



- ★ 17 inch Iron Dustpan
- ★ Material: Iron
- ★ Surface Treatment: Plastic Spraying
- ★ 6PCS/CTN

Removable Dustpan
saving space, convenient storage.



Rubber coated handle
easy to hold and not easy to rust



17" Size Extra-wide Dustpan
flat against the floor clean up all rubbish.



Item#:20108

- ★ Material: Aluminum
- ★ Surface Treatment: None
- ★ Accessories: With plastic dip handle



ITEM #	Name	Product Size	Thickness	QTY	Carton Size
20401	Shape A Boat Fender Ball	23X29X2.6CM	3.8MM	10	65X45X50CM
20402	Shape A Boat Fender Ball	29X37X2.7CM	3.8MM	10	70X45X60CM
20403	Shape A Boat Fender Ball	38X48X3.7CM	3.8MM	6	70X45X60CM
20404	Shape A Boat Fender Ball	40X55X3.7CM	3.8MM	6	70X45X60CM
20405	Shape A Boat Fender Ball	45X60X3.7CM	3.8MM	5	70X45X60CM
20406	Shape A Boat Fender Ball	48X68X3.7CM	3.8MM	4	70X45X60CM
20407	Shape A Boat Fender Ball	55X73X3.7CM	3.8MM	4	70X45X60CM
20408	Shape A Boat Fender Ball	65X85X3.7CM	3.8MM	4	70X45X60CM
20409	Shape A Boat Fender Ball	75X90X3.7CM	3.8MM	4	70X45X60CM
20410	Shape A Boat Fender Ball	95X110X3.7CM	3.8MM	3	70X45X60CM
20411	Shape A Boat Fender Ball	100X112X3.7CM	3.8MM	3	70X45X60CM

AIR COMPRESSOR

- ★ Item #:20426
- ★ Rotate Speed:1700R/min
- ★ Working Pressure:0-40MPA
- ★ Type of Cooling:Water-Cooled+Air-Cooled
- ★ Lubrication Method: Splash
- ★ Power:110V/60HZ
- ★ Electricity:15A
- ★ Size:46*39*46CM
- ★ Weight:33kgs
- ★ Compress Mode:Piston secondary shock pressure
- ★ The Noise:70db



- ★ Item #:20427
- ★ Rotate Speed:2800R/min
- ★ Working Pressure:0-40MPA
- ★ Type of Cooling:Water-Cooled+Air-Cooled
- ★ Lubrication Method: Splash
- ★ Power:220V/50HZ
- ★ Electricity:10A
- ★ Size:46*39*46CM
- ★ Weight:33kgs
- ★ Compress Mode:Piston secondary shock pressure
- ★ The Noise:70db



Item #	Weight(kg)	Surface Area	Fit for boat(ft)	Weight(Anchor-Hold)	Anchor Texture	Stainless Steel
20428	4	380cm ²	0-14 ft	1000lbs	q355B/q690D	316L/2205
20429	6	570cm ²	14-20 ft	5000lbs	q355B/q690D	316L/2205
20430	8	630cm ²	16-22 ft	8000lbs	q355B/q690D	316L/2205
20431	11	800cm ²	20-30 ft	11000lbs	q355B/q690D	316L/2205
20432	16	1000cm ²	30-35 ft	15000lbs	q355B/q690D	316L/2205
20433	20	1260cm ²	35-39 ft	20000lbs	q355B/q690D	316L/2205
20434	25	1430cm ²	30-43 ft	30000lbs	q355B/q690D	316L/2205
20435	30	1640cm ²	43-45 ft	40000lbs	q355B/q690D	316L/2205
20436	38	1840cm ²	45-50 ft	50000lbs	q355B/q690D	316L/2205
20437	48	2160cm ²	50-60 ft	60000lbs	q355B/q690D	316L/2205
20438	57	2500cm ²	60-70 ft	70000lbs	q355B/q690D	316L/2205
20439	75	3000cm ²	65-80 ft	90000lbs	q355B/q690D	316L/2205
20440	80	3190cm ²	70-90 ft	110000lbs	q355B/q690D	316L/2205

ANCHOR FRAME

- ★ BR1:8、13、17、25LBS
- ★ BR2:35、45、55、65LBS
- ★ BR3:85、105、125、155、175LBS



HEAT EXCHANGER

- ★ Item #:20448
- ★ Plate Number:N
- ★ Thickness(mm):10+2.3N/3.3N
- ★ Weight(kg):0.8+0.07N
- ★ Hold-up-volume(L):0.035×1/2 0.035(N-2)
- ★ Heat Transfer Area:(N-2)×0.018



LADDER/RAMP

- ★ Item#:20456 3 Step
- ★ Item#:20457 4 Step
- ★ Item#:20458 5 Step
- ★ Item#:20459 6 Step
- ★ Item#:20460 7 Step

Material:Aluminum Alloy
Surface Treatment:Anodic Oxidation

